

Edison State College Design & Construction Guidelines

Division 10

100000-1

Component	Manufactures	Model #	Description	Mounting Height A.F.F.
Soap Dispenser (Group Toilet)	Kimberly Clark	92145	Wall mounted	3'-0" to bottom
Soap Dispenser (Individual Toilet)	Kimberly-Clark	92145	Deck Mounted	3'-0" to bottom
Toilet Paper Dispenser (Group Toilet)	Kimberly-Clark	09551	Wall Mounted 30" min. A.F.F.	30" to bottom
Toilet Paper Dispenser (Individual)	Kimberly-Clark	09021	Surface Mounted	24" to center
Hand Towel Dispenser	Kimberly-Clark	09992	Surface Mounted	48" to operable part
Hand Towel Dispenser (H.C. stall)	Kimberly-Clark	09992	Surface Mounted	48" to operable part
Mirror	Bobrick	B-165		62" to center
Mirror (Tilt) H. C.	Bobrick	B-293		40" to bottom
Sanitary Napkin Disposal	Bobrick	B-270	Partition Mounted Surface mounted only	24" to operable part
Sanitary Napkin Disposal	Bobrick	B-4354	Surface Mounted	24" to operable part
42" Grab Bar	Bobrick	B-6806		33" to 36"
36" Grab Bar	Bobrick	B-6806		33" to 36"
Waste receptacle	Rubbermaid	3520	Half Round	
Utility Mop Shelf	Bobrick	B-239	x 44	
Tack Board	Quartet		Off White	7'-0" to top
Marker Board	Quartet		Off White	7'-0" to top
Toilet Partition			Solid plastic	
Fire Extinguisher	J.L. Industries			Control @ 48" A.F.F.
Fire Extinguisher Cabinet	J.L. Industries		Brushed aluminum with Red Letters	48" to operable part
Interior Signage	System 290			60" A.F.F. to center of sign
Library Security System	3M Detection			
Electric Hand Dryer				48" to operable part
Exit Signs		Ceiling mounted	Clear with red letters	80" to bottom min.

NOTE:

Note: All products used on Edison State College projects must be in compliance with the most current applicable edition of the Florida Building Code.

Edison State College Design & Construction Guidelines

Division 10

100000-2

1. All ADA toilet stalls and fixtures shall comply with ADA clearance and mounting heights per Chapter 11 of FBC.
2. All Standard toilet stalls are to be 36" wide x 60" long clear minimum dimension.
3. All Toilet accessories to be Smoke Gray color

Note: All products used on Edison State College projects must be in compliance with the most current applicable edition of the Florida Building Code.